



SAFETY DATA SHEET

PRODUCT NAME: Fortress 4000 A Adhesive part "A"
Chemical Family: Epoxy Resin Mixture

Part No.: 4000 A

Date: 07/16/2015

Section 1 – Identification

Manufacturer's Name: Fortress Stabilization Systems
Address: 184 West 64th St., Holland, MI 49423
Information Phone: 800-207-6204
Emergency Contact: (chemtrec) 800-424-9300

Section 2 – Hazards Identification

EMERGENCY OVERVIEW: Epoxy resin solution. Certain individuals may have pre-existing skin or respiratory conditions causing a sensitivity or allergy which manifests as various reactions. Heating or spraying this product or the mixed parts increases potential health hazards. Health and Safety personnel should examine the handling procedures and remedy any existing or potential health and safety hazards.

POTENTIAL HEALTH EFFECTS:

EYE:

May cause irritation.

SKIN:

May cause irritation. Low dermal absorption hazard.

INGESTION:

May inflame or damage the G.I. tract. Ingestion may be harmful.

INHALATION:

May cause irritation.

CHRONIC EFFECTS:

Repeated exposure may cause irritation and sensitization.

SIGNS & SYMPTOMS:

Skin rash, irritation, reddening, or eczema; breathing irritation or difficulty.

Section 3 – Composition/ Information on Ingredients

INGREDIENT	%	CAS #	EXPOSURE LIMITS
Bisphenol A Reaction Product	>80	25085-99-8	N/E
Alkyl Glycidyl Ether			
Calcium Carbonate	<15		
	>5		
	68609-97-2		
	471-34-1		
	N/E		
	N/E		

Section 4 – First-Aid Measures

◆ USE APPROPRIATE BLOOD-BORNE PATHOGENS PROTECTIONS ◆

EYE:

Hold eyelids apart and flood with copious amounts of water. Seek medical attention.

SKIN:

Remove excess product. Wash thoroughly with soap and water. If irritation persists, seek medical attention.

INGESTION:

Do not induce vomiting unless directed by medical personnel. Seek medical attention.

INHALATION:

Remove to fresh air. Seek medical attention.



SAFETY DATA SHEET

Part No.: 4000 A

PRODUCT NAME: Fortress 4000 A Adhesive part "A"
Chemical Family: Epoxy Resin Mixture

Date: 07/16/2015

Section 5 – Fire-Fighting Measures

FLASH POINT: 177°C 350°F UEL: N/A LEL: N/A VAPOR DENSITY: N/A
NFPA FLAMMABILITY RATING: 1 AUTOIGNITION: 300°C 570°F
COMBUSTION PRODUCTS: CO, CO₂, NO_x, & misc. hydrocarbons.
SPECIAL HAZARDS: Pre-sensitization to epoxy.
EXTINGUISHING MEDIA: Use foam, CO₂, dry chemical, water fog.
FIRE FIGHTER INSTRUCTIONS: Stay upwind. Wear at least full bunker gear and SCBA.

Section 6 – Accidental Release Measures

Isolate spill area. Keep out of sewer and storm drains. Stop the leak and contain the spill. Vacuum, scoop, or absorb spill with noncombustible materials. Clean up spill residues with soap and water.

Section 7 – Handling and Storage

Avoid skin and eye contact and breathing vapors or mists by appropriate measures. Do not eat or smoke while handling this product.
Wash thoroughly after handling or exposure to this product.
Store in original sealed container at ambient temperatures (55°-95° F) in dry, well-ventilated areas.

Section 8 – Exposure Constorls/Personal Protection

For Personal Exposure Limits (PEL), Threshold Limit Values (TLV) or other exposure limits, see Sec. 3.
GENERAL: Provide ventilation that will keep airborne concentration at a minimum.
EYE/FACE: Safety glasses or splash goggles with face shield.
SKIN: Butyl or nitrile rubber chemical gloves. Don chemical resistant clothing where exposure may occur.
RESPIRATORY: Provide adequate ventilation in work area. Use NIOSH respirator (organic vapor cartridges) where local ventilation is inadequate. Provide laminar flow ventilation where possible.
OTHER: Decontaminate or discard clothing and materials that have come in contact with this product.

Section 9 – Physical and Chemical Properties

APPEARANCE: pigmented paste ODOR: slightly sweet PHYSICAL STATE: paste
VAPOR PRESS: N.D.A. SPECIFIC GRAVITY: 1.28 pH: N.D.A.
BOILING PT: >300°F MELT PT: N/A SOLUBILITY IN H₂O: slightly

Section 10 – Stability and Reactivity

CHEMICAL STABILITY: Stable.
INCOMPATIBILITY: Strong acids, caustics, oxidizers, and epoxy hardeners in an uncontrolled condition.
HAZARDOUS POLYMERIZATION: Will not occur.
HAZARDOUS DECOMPOSITION: None known, other than Sec. 5's Combustion Products.

Section 11 – Toxicological Information

Oral: N.D.A.
Dermal: N.D.A.
Inhalation: N.D.A.
Carcinogens under OSHA, ACGIH, NTP, IARC, or Other: None ≥ 0.1%.



SAFETY DATA SHEET

Part No.: 4000 A

PRODUCT NAME: Fortress 4000 A Adhesive part "A"
Chemical Family: Epoxy Resin Mixture

Date: 07/16/2015

Section 12 – Ecological Information

N.D.A.

Section 13 – Disposal Considerations

Dispose of in accordance with applicable federal, state, and local laws and regulations.

Section 14 – Transport Information

DOT: Not Regulated.
IATA: Not Regulated
IMO:

Section 15 – Regulatory Information

OSHA: 29 CFR 1910.1200 Hazardous Chemical "Irritant", "Sensitizer".
TSCA: Ingredients listed.
SARA III: Sec311 & 312 Immediate Health Hazard; Sec313 Not listed.
CA PROP. 65 NOTICE: None.
NFPA: Health 1 Fire 1 Reactivity 0 Other N/A

CANADIAN REGULATORY INFORMATION

WHMIS: Hazard Classification: Class D2B Skin Sensitizer. Refer to SDS for specific warnings.
WHMIS Symbols: Stylized T.
WHMIS Trade Secret Registry Numbers: None.
Hazardous Products Act Information: This product SDS contains ingredients which are Controlled and/or on the
Ingredient Disclosure List (HPA sections 13 and 14).

Section 16 – Other Information

ABBREVIATIONS: N/A = not applicable; N.D.A. = no data available; NE = not established

Disclaimer: The data set forth in this sheet are based on information provided by the suppliers of the raw material and chemicals used in the manufacture of the aforementioned product. Fortress Stabilization Systems make no warranty with respect to the accuracy of the information provided by their suppliers, and disclaims all liability of reliance thereof.